

GHS SAFETY DATA SHEET

1 - Identification

Product identifier RadiJET® 7612K

Other means of identification Not available.

Synonym(s) 7612 black ink

Recommended use Inkjet Printing

Recommended restrictions None Known.

Issue date 31-August-2015

Company identification MYLAN GROUP

Long Duc Industrial Park

Tra Vinh City, Tra Vinh Province, Vietnam

Tel. 84-74-3846-997 Fax 84-74-3846-998

2 - Hazard(s) identification

Physical hazards Not classified.

Health hazards Not classified.

OSHA hazard(s) Not classified.

Label elements

Signal word Warning

Hazard statement H315- Causes skin irritation.

H317- May cause an allergic skin reaction. H319- Causes serious eye irritation.

Precautionary statement

Prevention P235 - Keep cool.

P280 - Wear protective gloves/protective clothing/eye protection/face

protection.

Response P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for

several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing.

Storage Not classified.

Disposal P501- Dispose of contents/container in accordance with

local/regional/national/international regulations.

Hazard(s) not otherwise

classified (HNOC)

Not classified.

Environmental hazards Not classified

Material name: RadiJET® 7612K

3 - Composition/information on ingredients		
Mixtures	CAS Number	%
2-Propenoic acid oxybis(methyl-2,1-ethanediyl) ester	88250-32-2	>40
Acrylic resin	Proprietary	>20
Bis(2,4,6-trimethylbenzoyl)- phenylphosphineoxide	162881-26-7	<5
Carbon black	1333-86-4	<5
Additives	Proprietary	<2
4. First-aid measures		
Inhalation	Remove from contaminated area promptly. If breathing stops, administer artificial respiration and seek medical aid promptly.	
Skin contact	Wash with plenty of water. Remove contaminated clothing and do not reuse until thoroughly laundered.	
Eye contact	Wash eyes with plenty of water, holding eyelids open. Seek medical assistance promptly if there is irritation.	
Ingestion	Give plenty of water to dilute product. Do not induce vomiting (NOTE below). Keep victim quiet. If vomiting occurs, lower victim's head below hips to prevent inhalation of vomited material. Seek medical help promptly.	
Most important symptoms/ effects, acute and delayed	See section 8.	
5. Fire-fighting measures		
FLASH POINT:	>100° C / 212° F (closed cup)	
Suitable extinguishing media	Suitable extinguishing media: sand, carbon dioxide (CO2) or dry chemical.	
Unsuitable extinguishing media	Not available.	
Specific hazards arising from the chemical	Not applicable.	
Special protective equipment and precautions for firefighters	Firefighters should wear full protective clothing including self-contained breathing apparatus. Avoid run off into storm sewers and ditches which lead to waterways.	
Fire-fighting equipment/instructions	Move containers from fire area if you can do it without risk.	
6. Accidental release measures		
Personal precautions, protective equipment and emergency procedures	Use personal protective equipment. Avoid breathing vapours, mist or gas. Ensure adequate ventilation	
Environmental precautions	Do not let product enter drains.	

Material name: RadiJET® 7612K

Methods and materials for containment and cleaning up

Soak up with inert absorbent material and dispose of as hazardous

waste. Keep in suitable, closed containers for disposal.

7. Handling and storage

Precautions for safe handlingAvoid contact with skin and eyes. Avoid inhalation of vapour or mist.

For precautions see section 2

Conditions for safe storage, including any incompatibilities

Store in cool place. Keep container tightly closed in a dry and well-

ventilated place

8. Exposure controls/personal protection

Control parametersComponents with workplace control parameters

Exposure controls

Appropriate engineering controls Handle in accordance with good industrial hygiene and safety practice.

Wash hands before breaks and at the end of workday.

Personal protective equipment

Eye/face protection Face shield and safety glasses Use equipment for eye protection

tested and approved under appropriate government standards such as

NIOSH (US) or EN 166(EU).

Skin protection Handle with gloves. Gloves must be inspected prior to use. Use proper

glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory

practices. Wash and dry hands

Body Protection Complete suit protecting against chemicals, The type of protective

equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Control of environmental

exposure

Do not let product enter drains.

9. Physical and chemical properties

Appearance Black liquid

Odor Not available.
Odor threshold Not available.

pH Not available.

Melting point/freezing point; Not available.

Initial boiling point and boiling >100°C

range

Flash point >100° C / 212° F (closed cup)

Evaporation rate Not available.

Flammability (solid, gas) Not applicable.

Upper/lower flammability or

explosive limits

Not available.

%)

Material name: RadiJET® 7612K

Flammability limit - lower

Flammability limit -

upper (%)

Not available.

Explosive limit - lower

(%)

Not available.

Explosive limit - upper

(%)

Not available.

Vapor pressure Not available.

Vapor density Not available.

Relative density Not available.

Solubility(ies)

Organic solvents

Partition coefficient: n-

Not available.

Not available.

octanol/water

Auto-ignition temperature Not available.

Viscosity (cPs) 18 - 22

10. Stability and reactivity

Decomposition temperature

Reactivity Strong oxidizing agents; alkali metals (*eg: Na*), alkaline earth metals

(eg: Ca), metal hydrides,

Chemical stability Stable under recommended storage conditions.

Possibility of hazardous

reactions

None known.

Conditions to avoid Keep away from direct sunlight.

Incompatible materialsOxidizing agents Strong bases, Strong oxidizing agents, Peroxides,

Copper, Iron oxides.

Hazardous decomposition

Products

Not available.

11. Toxicological information

Symptoms related to the physical, chemical and toxicological characteristics

Not available.

Information on toxicological effects

Acute toxicity value

Components Species Test results

2-Propenoic acid oxybis(methyl-

2,1-ethanediyl) ester (CAS 88250-32-2)

Inhalation

LC50 Rat-Male and female 0,41 mg/l, 7 Hours

Oral

Material name: RadiJET® 7612K

LD50 Rat 5000 mg/kg

Dermal

LD50 Rabbit 3650 mg/kg

Skin corrosion/irritation

Skin Rabbit Irritating to skin. - 4 h

Serious eye damage/eye irritation No data available

Carcinogen/Tumorigenic Not considered a tumorigenic or a carcinogen in humans or animals

Reproductive Effect No known effect in humans or animals

Mutagen No known effect on humans or animals

Synergistic With Not known

12. Ecological information

Aquatic Toxicity

Components Test results

2-Propenoic acid oxybis(methyl-2,1-

ethanediyl) ester (CAS 88250-32-2)

LC₅₀ (Fish, 96hr) 10mg/l

LC₅₀ (Crustacea, 48hr) 2,6mg/I(Daphnia magna)

EC₅₀ (Algæ, , 72hr) 1,5mg/l ("green algae")

EC₅₀ (Bacteria, 30min) 270 mg/l

13. Disposal considerations

Disposal instructions Do not flush to sewer, recycle solvent if possible, but never distil to

dryness; may be incinerated in approved

Local disposal regulationsNot available.Hazardous waste codeNot regulated.

Waste from residues / unused

products

Not available.

Contaminated packaging Not available.

14. Transport information

UN number

ADR/RID: - IMDG: - IATA: -

UN proper shipping name

ADR/RID: Not dangerous goods IMDG: Not dangerous goods IATA: Not dangerous goods

Material name: RadiJET® 7612K

Transport hazard class(es)

ADR/RID: -IMDG: -IATA: -

Packaging group

ADR/RID: -IMDG: -IATA: -

Environmental hazards

ADR/RID: no IMDG Marine pollutant: no IATA: no

Section 15 - Regulatory Information

This safety datasheet complies with the requirements of Regulation (EC) No. 1907/2006.

No data available

Safety, health and environmental regulations/legislation specific for

the substance or mixture

Section 16 - Other Information

Issue date 31-August-2015

Revision date

Version # 01

Disclaimer This Safety Data Sheet document is provided without charge to

customers of Mylan Group. Data is the most current known to Mylan Group at the time of preparation of this document and is believed to be accurate. My Company makes no warranty of any kind, express or implied, concerning the safe use of this material in your process or in combination with other substances. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and

may not meet regulatory requirements in other countries.

Material name: RadiJET® 7612K