

## GHS SAFETY DATA SHEET

1 - Identification		
Product identifier	SoluJET® 2704B	
Other means of identification	Not available	
Synonym(s)	2704 Blue solvent ink	
Recommended use	Inkjet Printing	
<b>Recommended restrictions</b>	None Known	
Issue date	10-June-2015	
Company identification	MYLAN GROUP Long Duc Industrial Park Tra Vinh City, Tra Vinh Province, Vietnam Tel. +84-294-3846-997 Fax +84-294-3846-998	
2 - Hazard(s) identification		
Physical hazards	Flammable liquids.	Category 2
Health hazards	Acute toxicity, Oral (Category 3), H301 Acute toxicity, Inhalation (Category 3), H33 Acute toxicity, Dermal (Category 3), H311 Specific target organ toxicity - single expose Eye irritation (Category 2), H319.	
Label elements		
Signal word	Danger	
Hazard statement	H225- Highly flammable liquid and vapor. H301+H311+H331- Toxic if swallowed, in con inhaled. H370- Causes damage to the central nervo nerve. H319- Causes serious eye irritation.	
Precautionary statement		
Prevention	P210 - Keep away from heat/sparks/open fl smoking. P233 - Keep container tightly closed.	ames/hot surfaces No

Response	<ul> <li>P240 - Ground/Bond container and receivin</li> <li>P241 - Use explosion-proof electrical/ventilar</li> <li>P242 - Use only non-sparking tools.</li> <li>P243 - Take precautionary measures against</li> <li>P280 - Wear protective gloves/protective claprotection/face protection.</li> <li>P370+P378- In case of fire: for small fires, use dioxide, water spray or alcohol-resistant foa large fires, use water spray, fog, or alcohol-reextinguish. Use water spray to cool fire-exporting be ineffective. Do NOT use straight stree</li> <li>P305 + P351 + P338 IF IN EYES: Rinse cautious</li> </ul>	ting/lighting/equipment. static discharge. othing/eye dry chemical, carbon m to extinguish. For esistant foam to sed containers. Water ams of water.	
	minutes. Remove contact lenses, if present of Continue rinsing. P304 + P340 + P311 IF INHALED: Remove person comfortable for breathing. Call a POISON C	and easy to do. son to fresh air and keep	
Storage	P403 + P235 - Store in a well-ventilated place	e. Keep cool.	
Disposal	P501- Dispose of contents/container in acco local/regional/national/international regula		
Environmental hazards	Not available		
3 - Composition/informatio	3 - Composition/information on ingredients		
Mixtures	CAS Number	%	
Ethanol	64-17-5	>55	
Methanol	67-56-1	<30	
N-Hexanol	111-27-3	<5	
Blue solvent dye	Proprietary	<10	
4. First-aid measures			
Inhalation	Move person to fresh air immediately. If symptoms persist, get immediate medical	attention.	
Skin contact	In case of contact, immediately remove contaminated clothing and flush skin with copious amounts of water. Wash clothing separately before reuse. Get medical attention, if needed.		
Eye contact	In case of eye contact, remove contact len with plenty of water, also under the eyelids, Get medical attention immediately.	•	
Ingestion	Rinse mouth out with water. If the material is immediate medical attention or advice D Never give anything by mouth to an uncons	o not induce vomiting.	
	Get medical attention immediately.		

Most important symptoms/	See section 8.
effects, acute and delayed 5. Fire-fighting measures	
FLASH POINT:	12°C (closed-cup).
Suitable extinguishing	Suitable extinguishing media: sand, carbon dioxide (CO2) or dry
media	chemical.
Unsuitable extinguishing media	Not available.
Specific hazards arising from the chemical	Not applicable.
Special protective equipment and precautions for firefighters	Firefighters should wear full protective clothing including self- contained breathing apparatus. Avoid run off into storm sewers and ditches which lead to waterways.
Fire-fighting equipment/instructions	Move containers from fire area if you can do it without risk.
6. Accidental release meas	sures
Personal precautions, protective equipment and emergency procedures	Avoid contact with skin. Avoid inhalation of vapors or mists. Do not touch or walk through spilled material. Ensure adequate ventilation. Remove all sources of ignition.
	Use personal protective equipment to minimize exposure to skin and eye. In the case of vapor formation use a respirator with an approved filter.
Environmental precautions	Do not flush into surface water or sanitary sewer system.
Methods and materials for containmentand cleaning up	Not available.
7. Handling and storage	
Precautions for safe	Avoid contact with skin, eyes and clothing. Avoid breathing vapors or mists of this product.
handling	Use with adequate ventilation.Wear personal protective equipment.
Conditions for safe storage, including any incompatibilitie	Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from heat, sparks and flame.
8. Exposure controls/person	nal protection
Occupational exposurelimits	
US. OSHA Table Z-1 Limits for	

## Air Contaminants

## (29 CFR1910.1000)

Components	Туре	Value
Ethanol (CAS 64-17-5)	PEL	1900 mg/m³ 1000 ppm
Methanol (CAS 67-56-1)	PEL	260mg/m³ 200ppm
US. ACGIH Threshold Limit Values		
Components	Туре	Value
Ethanol (CAS 64-17-5)	STEL	1000 ppm
Methanol (CAS 67-56-1)	STEL	250ppm
US. NIOSH: Pocket Guide to Chemical Hazards		
Components	Туре	Value
Ethanol (CAS 64-17-5)	TWA	1900 mg/m3 1000 ppm
Methanol (CAS 67-56-1)	TWA	260mg/m <sup>3</sup> 200ppm
Biological limit values	No biological exposure limits noted for the i	ngredient(s).
Appropriate engineering controls	Not available.	
Individual protection measures, such as personal protective equipment		
Eye/face protection	Wear safety glasses; chemical goggles (if sp Eye wash fountain and emergency showers	<b>-</b>
Skin protection		
Hand protection	Not available.	
Other	Wear appropriate chemical resistant clothin	ng.
	Wear appropriate chemical resistant gloves.	
Respiratory protection	Provide adequate ventilation. In case of insufficient ventilation wear suitable respiratory equipment.	
Thermal hazards	Not available.	
General hygiene considerations	Do not get this material in contact with skin eyes and clothing. When using, do not eat, drink or smoke. Wa and immediately after handling the produc Launder contaminated clothing before reus	sh hands before breaks t.

9. Physical and chemical properties			
Appearance	Blue liquid		
Odor	Vinous odor		
Odor threshold	Not available.		
рН	Not available.		
Melting point/freezing point;	Not available.		
Initial boiling point and	>70°C		
boiling range			
Flash point	12°C (closed-cup)		
Evaporation rate	Not available.		
Flammability (solid, gas)	Not applicable.		
Upper/lower flammability or			
explosive limits			
Flammability limit - lower (%)	Not available.		
Flammability limit - upper (%)	Not available.		
Explosive limit - lower (%)	Not available.		
Explosive limit - upper (%)	Not available.		
Vapor pressure	Not available.		
Vapor density	Not available.		
Relative density	Not available.		
Solubility(ies)	Soluble in Ethanol.		
Partition coefficient: n-	Not available.		
octanol/water			
Auto-ignition temperature	Not available.		
Decomposition temperature	Not available.		

Viscosity	Not available.	
10. Stability and reactivity		
Reactivity	Not available.	
Chemical stability	Stable at normal conditions.	
Possibility of hazardous reactions	None known.	
Conditions to avoid	Heat, flames and sparks.	
Incompatible materials	Not available.	
Hazardous decomposition products	Not available.	
11. Toxicological information	on	
Symptoms related to the physical, chemical and toxicological characteristics	Not available.	
Information on toxicological effects		
Acute toxicity value		
Components	Species	Test results
Ethanol (CAS 64-17-5)		
Acute		
Inhalation		
LC50	Mouse Rat	39 mg/l, 4 Hours 20000 mg/l, 10 Hours
Oral		
LD50	Dog Guinea pig Mouse Rat	5.5 g/kg 5.6 g/kg Mouse 3450 mg/kg Rat 7060 mg/kg 6.2 g/kg
Other		
LD50	Mouse Rat	933 mg/kg 1440 mg/kg
Methanol (CAS 67-56-1)		
Acute		
<b>Acute</b> Inhalation		

Material name: SoluJET® 2704B Version #:04 Issue date: 10-Jun-2015 Revision date: 6-Nov-2018

Oral			
LD50 LDLO	Rat Human		1.187 - 2.769 mg/kg 143mg/kg
N-hexanol (CAS 111-27-3)			
Oral (LD50)	Rat		720mg/kg
Dermal (LD50)	Rabbit	(male)	1500mg/kg
Remarks: Lungs, Thorax, or Resp nausea, vomiting and diarrhoed	-	rspnea. Ingestion may cause gastroin	ntestinal irritation,
Dermal			
LD50	Rabbit		17.100 mg/kg
Skin corrosion/irritation		ntact: May cause skin irritation. sorption: May be harmful if absorbed	d through the skin.
Serious eye damage/eye irritation	Inhalati mucou	ntact: May cause eye irritation. on: May be harmful if inhaled. Mate s membranes and upper respiratory on: Harmful if swallowed.	, 0
Respiratory sensitization	Based o	on available data, the classification	criteria are not met.
Skin sensitization	Based o	on available data, the classification	criteria are not met.
Germ cell mutagenicity	Based o	on available data, the classification	criteria are not met.
Carcinogenicity	Based o	on available data, the classification	criteria are not met.
Specific target organ toxicity - single exposure	Based o	on available data, the classification	criteria are not met.
Specific target organ toxicity - repeated exposure	Based on available data, the classification criteria are not met.		
Aspiration hazard	Based o	on available data, the classification	criteria are not met.
12. Ecological information			
Aquatic toxicity			
Ecotoxicity			
Components		Species	Test Results
Ethanol (CAS 64-17-5)			
Aquatic			
Crustacea	EC50	Water flea (Daphnia magna)	7.7 - 11.2 mg/l, 48 hours
Fish	LC50	Fathead minnow (Pimephales promelas)	> 100 mg/l, 96 hours
Material name: SoluJET® 2704B		· · · · · · · · · · · · · · · · · · ·	

Material name: SoluJET® 2704B

Г

Version #:04 Issue date: 10-Jun-2015 Revision date: 6-Nov-2018

Methanol (CAS 67-56-1)			
Fish	LC50 NOEC	Lepomis macrochirus (Bluegill) Oryzias latipes	15.400,0 mg/l - 96 h 7.900 mg/l - 200 h
Crustacea	EC50	Water flea (Daphnia magna)	10.000,00 mg/l - 48 h
N-hexanol (CAS 111-27-3)			
Fish	LC50	Pimephales promelas (fathead minnow)	97.7 mg/l - 96 h
Toxicity to daphnia and other aquatic invertebrates	EC50	Daphnia magna (Water flea)	100 mg/l - 24 h
Persistence and	Not ava	ailable.	
degradability			
<b>Bioaccumulative potential</b>	Not ava	bilable.	
Partition coefficient n-			
octanol / water (log Kow)			
Ethanol (CAS 64-17-5)	-0.31		
Methanol (CAS 67-56-1)	-0.77		
N-Hexanol (CAS 111-27-3)	2.03		
Mobility in soil	Not ava	ailable.	
Other adverse effects	Not ava	ailable.	
13. Disposal consideration	S		
Disposal instructions	Do not dispose of together with general office waste. Do not allow this material to drain into sewers/water supplies. Dispose of waste material according to Local, State, Federal, and Provincial Environmental Regulations. Ensure collection and disposal with an appropriately licensed waste contractor.		
Local disposal regulations	Not ava	ailable.	
Hazardous waste code	Not reg	ulated.	
Waste from residues / unused products	Not ava	ailable.	
Contaminated packaging	Not ava	ailable.	
14. Transport information			
DOT			

Г

UN numberUN1210UN proper shipping namePrinting ink, flammable (Ethanol, Methanol, N-hexanol)Transport hazard class(es)3Subsidiary class(es)Not available.	
Transport hazard class(es) 3	
Subsidiary class(es) Not available.	
Packing group	
Special precautions for user       Passenger aircraft         Quantity limitation: 5 L       Quantity limitation: 5 L         Cargo aircraft       Quantity limitation: 60 L         Special provisions       24, IB2, T4, TP1.	
Labels required Not available.	
ΙΑΤΑ	
UN number UN1210	
<b>UN proper shipping name</b> Printing ink, flammable (Ethanol, Methanol, N-hexanol)	
Transport hazard class(es) 3	
Subsidiary class(es) -	
Packaging group	
Environmental hazards No	
Labels required Not available.	
ERG Code Not available.	
Special precautions for user       Passenger and Cargo         Aircraft       Quantity limitation: 5 L         Cargo Aircraft Only       Quantity limitation: 60 L         Limited Quantities -       Passenger Aircraft         Quantity limitation: 1 L       Quantity limitation: 1 L	
IMDG	
UN number UN1210	
<b>UN proper shipping name</b> Printing ink, flammable (Ethanol, Methanol, N-hexanol)	
Transport hazard class(es) 3	

Subsidary class(es)	-
Packaging group	II
Environmental hazards	No
Marine pollutant	
Labels required	Not available.
EmS	Not available.
Special precautions for user	Not available.
Section 15 - Regulatory Info	rmation
US federal regulations	US EPA TSCA Inventory: All chemical substances in this product comply with all rules or orders under TSCA.
TSCA Section 12(b) Export	Not regulated.
Notification (40 CFR 707, Subpt. D)	
US. OSHA Specifically	Not on regulatory list.
Regulated Substances (29 CFR 1910.1001-1050)	
CERCLA Hazardous	
Substance List (40 CFR 302.4)	
Methanol (CAS 67-56-1)	Reportable quantity: 5000 lbs.
	Reauthorization Act of 1986 (SARA)
	Immediate Hazard - No
Hazard categories	Delayed Hazard - Yes
	Fire Hazard - Yes Pressure Hazard - No
	Reactivity Hazard – No
SARA 302 Extremely hazardous substance	No
SARA 311/312 Hazardous chemical	No
US state regulations	
US. Massachusetts RTK -	Ethanol (CAS 64-17-5)
Substance List	Methanol (CAS 67-56-1)

US. New Jersey Worker and	Methanol (CAS 67-56-1)
Community Right-to-Know Act	
US. Pennsylvania RTK - Hazardous Substances	Ethanol (CAS 64-17-5) Methanol (CAS 67-56-1)
US. Rhode Island RTK	Ethanol (CAS 64-17-5) Methanol (CAS 67-56-1)
US - California Proposition 65	Methanol (CAS 67-56-1)
- Carcinogens &	
Reproductive Toxicity (CRT):	
Listed substance	
Section 16 - Other Informati	on
Issue date	10-June-2015
Revision date	6-November-2018
Version #	04
Disclaimer	This Safety Data Sheet document is provided without charge to customers of Mylan Group. Data is the most current known to Mylan Group at the time of preparation of this document and is believed to be accurate. My Company makes no warranty of any kind, express or implied, concerning the safe use of this material in your process or in combination with other substances. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other countries.