

SAFETY DATA SHEET

According to Regulation (EC) No 1907/2006, Annex II, as amended by Regulation (EU) 2020/878

Issue date: Mar 3rd 2017 Revision date: Jun 28th 2024

Section 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name AnJET™ 2050G

Synonym(s) Not available.

Registration number REACH Not applicable (mixture)

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use Ink for inkjet printing

1.3. Details of the supplier of the safety data sheet

Company identification MYLAN GROUP

Long Duc Industrial Park

Tra Vinh City, Tra Vinh Province, Vietnam

Tel. +84-294-3846-997 Fax +84-294-3846-998

E-mail address: info@mylangroup.com

1.4. Emergency telephone number

Name	Address	City	Telephone	Website
Poison Control	Bach Mai Hospital 78 Giai Phong	Ha Noi	+84 (0)243 869 3731	www.chongdoc.org.vn
Center	Avenue Dong Da District			

Hours of operation: 8.00-17.00 Monday-Friday

Section 2: Hazard(s) identification

2.1. Classification of the substance or mixture

Product definition: Mixture

Classification according to Regulation (EC) No 1272/2008 (CLP):

Physical hazards Flammable liquids. Category 3, H226

Health hazards None

2.2. Label elements

Labeling according to Regulation (EC) No 1272/2008 (CLP):

Pictograms



GHS02

Signal word Warning

Product name: AnJET[™] 2050G Version: 4.1

Page 1 of 9

Hazard statements H226- Flammable liquid and vapor.

Precautionary statements

Prevention P210 - Keep away from heat/sparks/open flames/hot surfaces. - No

smoking.

P233 - Keep container tightly closed.

P240 - Ground/Bond container and receiving equipment.

P241 - Use explosion-proof electrical/ventilating/lighting/equipment.

P242 - Use only non-sparking tools. P264 - Wash thoroughly after handling.

P280 - Wear protective gloves/protective clothing/eye protection/face

protection.

Response P303+P361+P353- IF ON SKIN (or hair): Take off Immediately all

contaminated clothing. Rinse SKIN with water (or shower).

P370+P378- In case of fire: for small fires, use dry chemical, carbon dioxide, water spray or alcohol-resistant foam to extinguish. For large fires, use water spray, fog, or alcohol-resistant foam to extinguish. Use water spray to cool fire-exposed containers. Water may be ineffective. Do NOT use

straight streams of water.

Storage P403 + P235 - Store in a well-ventilated place. Keep cool.

P405 - Store locked up.

Disposal P501- Dispose of contents/container in accordance with

local/regional/national/ international regulations.

2.3. Other hazards

PBT Substances None

vPvB Substances: None

Other hazards The substance/mixture does not contain components considered to have

endocrine disrupting properties according to REACH Article 59(1) or Commission Delegated regulation (EU) 2017/2100 or Commission

Regulation (EU) 2018/605 at levels of 0.1% or higher.

Section 3: Composition/information on ingredients

3.1. Substance No

3.2. Mixtures

Hazardous Components (Chemical Name)/ REACH Registration No.	CAS Number	EC No	Concentration (%)	Classification
Water	7732-18-5	231-791-2	>72	Not Classified
Propylene glycol	57-55-6	200-338-0	<10	Not Classified
Ethanol	64-17-5	200-578-6	<10	Flam. Liq. 2, H225 Eye Irrit. 2, H319
Glycerol	56-81-5	200-289-5	<5	Not Classified
FD&C Green 3	2353-45-9	219-091-5	≤3	Not Classified

Product name: AnJET™ 2050G

Version: 4.1 Page 2 of 9

Section 4: First-aid measures

4.1. Description of first aid measures

In case of:

Inhalation Move person to fresh air immediately.

If symptoms persist, get immediate medical attention.

Skin contact In case of contact, immediately remove contaminated clothing and flush skin with copious

amounts of water. Wash clothing separately before reuse.

Get medical attention, if needed.

Eye contact In case of eye contact, remove contact lens and rinse immediately with plenty of water, also

under the eyelids, for at least 15 minutes. Get medical attention immediately.

Ingestion Rinse mouth out with water. If the material is swallowed, get immediate medical attention or

advice - Do not induce vomiting. Never give anything by mouth to an unconscious person.

Get medical attention immediately.

4.2. Most important symptoms/ effects, acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.3. Indication of any immediate medical attention and special treatment needed

No special treatment needed, treat symptomatically.

Section 5. Fire-fighting measures

5.1. Extinguishing media

Suitable extinguishing media sand, carbon dioxide (CO2) or dry chemical.

Unsuitable extinguishing

media

Not available.

5.2. Special hazards arising from the substance or mixture

In case of fire, smoke and other combustion products may be formed, the inhalation of such combustion products can have serious adverse effects on health.

5.3. Advice for firefighters

Wear suitable protective suit and self-contained breathing apparatus.

Section 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

- (a) the wearing of suitable protective equipment (including personal protective equipment referred to under section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing;
- (b) removal of ignition sources, provision of sufficient ventilation, control of dust; and
- (c) emergency procedures such as the need to evacuate the danger area or to consult an expert.

For personal protection see section 8.

6.2. Environmental precautions

Do not flush into surface water or sanitary sewer system.

6.3. Methods and materials for containment and cleaning up

Absorb or cover with dry earth, sand or other non-combustible material and transfer to sealable containers for disposal. Remove all sources of ignition. Use spark-proof tools and explosion-proof equipment.

Product name: AnJET™ 2050G

Version: 4.1 Page 3 of 9

6.4. Reference to other sections

For further and detailed information see section 8 and 13.

Section 7. Handling and storage

7.1 Precautions for safe handling Advice on protection against fire and explosion

Keep away from open flames, hot surfaces and sources of ignition. Take

precautionary measures against static discharge.

Hygiene measures

Change contaminated clothing. Wash hands after working with

substance. For further precautions information see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Keep containers tightly closed in a dry, cool and well-ventilated place.

Keep away from heat, sparks and flame.

7.3 Specific end usesNo specific uses are stipulated.

Section 8. Exposure controls/personal protection

8.1 Control parameters National limit values

Occupational exposure limit values (Workplace Exposure Limits)

Country	Name of agent	CAS No	Notation	Identifier	TWA (ppm)	TWA (mg/m³)	STEL (ppm)	STEL (mg/m³)	Source
ΙΕ	Propylene glycol	57-55-6		OELV	150	470 10			S.I. No. 619 of 2001
	Ethanol	64-17-5			Data	are not av	vailable		

Notation

glycol

STEL Short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period (unless otherwise specified)

TWA Time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average (unless otherwise specified)

 ${\it i}$ Inhalable fraction

r Respirable fraction

Relevant DNELs/DMELs/PNECs and other threshold levels

	End point	Threshold level	Protection goal, route of exposure	Used in	Exposure time
Ethanol	DNEL	1.900 mg/m ³	human, inhalatory	worker (industry)	acute- systemic effects
	DNEL	343 mg/kg	human, dermal	worker (industry)	chronic - systemic effects

DNEL 950 mg/m³ human, inhalatory worker (industry) chronic - systemic effects

Propylene DNEL 168 mg/m³ human, inhalatory worker (industry) chronic - systemic effects

environmental values

human health values

• ELIVII	Offitterial values		
	End point	Threshold level	Environmental compartment
Ethanol	PNEC	0,79 mg/cm ³	marine water
	PNEC	2,75 mg/cm ³	air
	PNEC	3,6 mg/cm ³	freshwater sediment
	PNEC	580 mg/cm ³	sewage treatment plant (STP)

Product name: AnJET™ 2050G

Version: 4.1 Page 4 of 9

	PNEC	0,63 mg/cm ³	soil
	PNEC	0,96 mg/cm ³	freshwater
Propylene glycol	PNEC	50 mg/kg	soil
	PNEC	260 mg/l	freshwater
	PNEC	26 mg/L	marine water
	PNEC	20 000 mg/L	sewage treatment plant (STP)
	PNEC	572 mg/kg	Fresh water sediment

8.2 Exposure controls

Skin and body protection

Individual protection measures, such as personal protective equipment

Eye/face protection Wear safety glasses; chemical goggles (if splashing is possible).

Eye wash fountain and emergency showers are recommended. $\label{eq:equation:equation}$

Hand protection Wear appropriate chemical resistant gloves.

Respiratory protection Provide adequate ventilation. In case of insufficient ventilation wear

Protective suit, Safety shoes.

suitable respiratory equipment.

Thermal hazards Not available.

General hygiene considerations Do not get this material in contact with skin. Avoid contact with skin, eyes

and clothing.

When using, do not eat, drink or smoke. Wash hands before breaks and

immediately after handling the product.
Launder contaminated clothing before reuse.

Section 9. Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state Liquid

Color Green

Odor Characteristic

Melting point/freezing point; Not available.

Boiling point or initial boiling point

and boiling range

>70°C at 1,013 hPa - lit.

Flammability (solid, gas)

Not available.

Lower and upper explosion limit

Not available.

Flash point 60°C (closed-cup)

Product name: AnJET[™] 2050G Version: 4.1 **Auto-ignition temperature** Not available.

Decomposition temperature Not available.

pH Not available.

Viscosity (cPs) Not available.

Solubility(ies) Soluble in water.

Partition coefficient n- Not available.

octanol/water (log value)

Vapor pressure Not available.

Density and/or relative densityNot available.

Relative vapour density Not available.

Particle characteristics Not available.

9.2 Other information Not available.

Section 10. Stability and reactivity

10.1 Reactivity Not available.

10.2 Chemical stability Stable at normal conditions.

10.3 Possibility of hazardous

reactions

None known.

10.4 Conditions to avoid Heat, flames and sparks.

10.5 Incompatible materials Not available.

10.6 Hazardous decomposition

products

Hazardous combustion products: see section 5

Section 11. Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity value

Components Species Test results

Ethanol (CAS 64-17-5)

Acute

Inhalation (LC50) Rat 124.7 mg/l – vapor 4 h

Oral (LD50) Rat 10,470 mg/kg

Propylene glycol (CAS 57-55-6)

Dermal (LD50) Rabbit 20.800 mg/kg
Oral (LD50) Rat (male and female) 20.000 mg/kg

Glycerol (56-81-5)

Product name: AnJET[™] 2050G Version: 4.1 $Dermal (LD50) Rabbit > 10.000 \, mg/kg$

Oral (LD50) Rat (male and female) 27.200 mg/kg

FD&C Green 3 (2353-45-9)

Oral (LD50) Rat (male and female) > 2000 mg/kg

Skin corrosion/irritation Not available.

Serious eye damage/eye

irritation

Not available.

 $\textbf{Respiratory or skin sensitisation} \qquad \qquad \textbf{Not available}.$

Germ cell mutagenicity Not available.

Carcinogenicity Not available.

Reproductive toxicity Not available.

STOT-single exposure; Not available.

STOT-repeated exposure; Not available.

Aspiration hazard Not available.

11.2 Information on other hazards

11.2.1 Endocrine disrupting properties

Not available.

11.2.2 Other information

Not available.

Section 12. Ecological information

12.1 Toxicity

Aquatic toxicity

Components		Species	Test Results	
Ethanol (CAS 64-17-5)				
Aquatic				
Crustacea	EC50	Water flea (Daphnia magna)	7.7 - 11.2 mg/l, 48 hours	
Fish	LC50	Fathead minnow (Pimephales promelas)	> 100 mg/l, 96 hours	
Propylene glycol (CAS 57-55-6)				
Fish	NOEC	Pimephales promelas (fathead minnow)	52.930 mg/l - 96 h	
Daphnia and other aquatic invertebrates	EC50 NOEC	Daphnia (water flea)	> 10.000 mg/l - 48 h 13.020 mg/l - 48 h	
Glycerol (56-81-5)				
Fish	LC50	Oncorhynchus mykiss (rainbow trout)	54.000 mg/l - 96 h	

Product name: AnJET $^{\text{TM}}$ 2050G

Version: 4.1 Page 7 of 9

FD&C Green 3 (2353-45-9)

Fish LC50 - 12400000 mg/kg- 96 h

Daphnia and other aquatic EC50 Daphnia (water flea) 366000 mg/l-48 h

invertebrates

12.2 Persistence and degradability Data are not available.

12.3 Bioaccumulative potential Does not significantly accumulate in organisms.

12.4 Mobility in soil Data are not available.

12.5 Results of PBT and vPvBAccording to the results of its assessment, this substance is not a PBT or a

vPvB

assessment

12.6 Endocrine disrupting Does not contain an endocrine disruptor (EDC) in a concentration of ≥

properties 0,1%.

12.7 Other adverse effects Data are not available.

Section 13. Disposal considerations

13.1 Waste treatment methods

Product Dispose of waste material in accordance with local, state and federal

pollution regulations.

Contaminated packaging When disposing of an empty container, dispose after removing contents

materials completely. Only store in correctly labelled containers.

Section 14. Transport information

14.1 UN number

ADR/RID: UN1210 AND: UN1210 IMDG: UN1210 IATA: UN1210

14.2 UN proper shipping name

ADR/RID: Printing Ink AND: Printing Ink IMDG: Printing Ink IATA: Printing Ink

14.3 Transport hazard class(es)

ADR/RID: Class 3 AND: Class 3 IMDG: Class 3 IATA: Class 3

14.4 Packing group

ADR/RID: III AND: III IMDG: III IATA: III

14.5 Environmental hazards

ADR/RID: None AND: None IMDG: None IATA: None

14.6 Special precautions for user

Not applicable

14.7 Maritime transport in bulk according to IMO instruments

Product name: AnJET™ 2050G

Version: 4.1 Page 8 of 9

Not applicable

Section 15 - Regulatory Information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU legislation Regulation (EC) No 1907/2006 of the European Parliament and of the

Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (as amended).

Guidance Workplace Exposure Limits EH40. Safety Data Sheets for Substances and

Preparations.

15.2. Chemical safety assessment No chemical safety assessment has been carried out.

Section 16 - Other Information

Issue date 29-March-2017

Revision date 28-June-2024

Version # 4.1

Disclaimer This Safety Data Sheet document is provided without charge to customers

of Mylan Group. Data is the most current known to Mylan Group at the time of preparation of this document and is believed to be accurate. My Company makes no warranty of any kind, express or implied, concerning the safe use of this material in your process or in combination with other

substances.

Product name: AnJET $^{\text{TM}}$ 2050G

Version: 4.1 Page 9 of 9