

## 1 - Identification

<b>Product identifier</b>	<b>SoluJET® 2701K</b>
<b>Other means of identification</b>	Not available.
<b>Synonym(s)</b>	2701 black solvent ink
<b>Recommended use</b>	Inkjet Printing
<b>Recommended restrictions</b>	None Known.
<b>Issue date</b>	19-September-2013
<b>Company identification</b>	<b>MYLAN GROUP</b> Long Duc Industrial Park Tra Vinh City, Tra Vinh Province, Vietnam Tel. 84-74-3846-997 Fax 84-74-3846-998

## 2 - Hazard(s) identification

**Classification according to Regulation (EC) No 1272/2008 [CLP]:** Flammable liquids. Category 2

**Health hazards** Not classified.

**OSHA hazard(s)** Not classified.

**Labeling according to Regulation (EC) No 1272/2008 [CLP]:**



**GHS02    GHS07**

**GHS signal word** Danger

**GHS hazard statement** H225- Highly flammable liquid and vapor.



**GHS Precautionary statement**

**Prevention**

P210 - Keep away from heat/sparks/open flames/hot surfaces. - No smoking.  
P233 - Keep container tightly closed.  
P240 - Ground/Bond container and receiving equipment.  
P241 - Use explosion-proof electrical/ventilating/lighting/equipment.  
P242 - Use only non-sparking tools.  
P243 - Take precautionary measures against static discharge.  
P260 Do not breathe dust/fume/gas/mist/vapours/spray.  
P264 Wash thoroughly after handling.  
P280 - Wear protective gloves/protective clothing/eye protection/face protection.

	P273 - Avoid release to the environment.			
	P370+P378- In case of fire: for small fires, use dry chemical, carbon dioxide, water spray or alcohol-resistant foam to extinguish. For large fires, use water spray, fog, or alcohol-resistant foam to extinguish. Use water spray to cool fire-exposed containers. Water may be ineffective. Do NOT use straight streams of water.			
<b>Response</b>	P303 + P361 + P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.			
<b>Storage</b>	P403 + P235 - Store in a well-ventilated place. Keep cool.			
<b>Disposal</b>	P501- Dispose of contents/container in accordance with local/regional/national/international regulations.			
<b>Hazard(s) not otherwise classified (HNOC)</b>	Not classified.			
<b>Environmental hazards</b>	Hazardous to the aquatic environment, long-term hazard			Category 3
<b>Additional information:</b>	EUH209 Can become highly flammable in use. EUH210 Safety data sheet available on request.			
<b>3 - Composition/information on ingredients</b>				
<b>Hazardous Components (Chemical Name)/ REACH Registration No.</b>	<b>CAS Number</b>	<b>%</b>	<b>EC No./ EC index No</b>	<b>GHS Classification</b>
Ethyl alcohol	64-17-5	<80	200-578-6 603-002-00-5	Flam. Liq. 2, H225 Eye Irrit. 2, H319
N-propyl alcohol	71-23-8	<5	200-746-9 603-003-00-0	Flam. Liq. 2, H225 Eye Dam. 1, H318 STOT SE 3, H336
Polyurethane resins	Proprietary	>5	NA	Not classified
Black dyes mixture	Proprietary	<10	NA	Not classified
<b>4. First-aid measures</b>				
<b>Inhalation</b>	Move person to fresh air immediately. If symptoms persist, get immediate medical attention.			
<b>Skin contact</b>	In case of contact, immediately remove contaminated clothing and flush skin with copious amounts of water. Wash clothing separately before reuse. Get medical attention, if needed.			
<b>Eye contact</b>	In case of eye contact, remove contact lens and rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get medical attention immediately.			
<b>Ingestion</b>	Rinse mouth out with water. If the material is swallowed, get immediate medical attention or advice -- Do not induce vomiting. Never give anything by mouth to an unconscious person. Get medical attention immediately.			
<b>Most important symptoms/ effects, acute and delayed</b>	See section 8.			

5. Fire-fighting measures				
<b>FLASH POINT:</b>	15°C (closed-cup).			
<b>Suitable extinguishing media</b>	Suitable extinguishing media: sand, carbon dioxide (CO <sub>2</sub> ) or dry chemical.			
<b>Unsuitable extinguishing media</b>	Not available.			
<b>Specific hazards arising from the chemical</b>	Not applicable.			
<b>Special protective equipment and precautions for firefighters</b>	Firefighters should wear full protective clothing including self-contained breathing apparatus. Avoid run off into storm sewers and ditches which lead to waterways.			
<b>Fire-fighting equipment/instructions</b>	Move containers from fire area if you can do it without risk.			
6. Accidental release measures				
<b>Personal precautions, protective equipment and emergency procedures</b>	<p>Avoid contact with skin. Avoid inhalation of vapors or mists. Do not touch or walk through spilled material. Ensure adequate ventilation. Remove all sources of ignition.</p> <p>Use personal protective equipment to minimize exposure to skin and eye. In the case of vapor formation use a respirator with an approved filter.</p>			
<b>Environmental precautions</b>	Do not flush into surface water or sanitary sewer system.			
<b>Methods and materials for containment and cleaning up</b>	Not available.			
7. Handling and storage				
<b>Precautions for safe handling</b>	<p>Avoid contact with skin, eyes and clothing. Avoid breathing vapors or mists of this product.</p> <p>Use with adequate ventilation.</p> <p>Wear personal protective equipment.</p>			
<b>Conditions for safe storage, including any incompatibilities</b>	Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from heat, sparks and flame.			
8. Exposure controls/personal protection				
<b>Occupational exposure limits</b>				
<b>Component</b>	<b>CAS</b>	<b>US</b>	<b>EU</b>	<b>UK</b>
Ethyl alcohol	64-17-5	1000 ppm TWA OSHA PEL 1000 ppm STEL ACGIH TLV	None Established	1000 ppm TWA
N-propyl alcohol	71-23-8	200 ppm TWA OSHA PEL 100 ppm STEL ACGIH TLV	None Established	200 ppm TWA, 250 ppm STEL
<b>Biological limit values</b>	No biological exposure limits noted for the ingredient(s).			


<b>Appropriate engineering Controls</b>	Not available.
<b>Individual protection measures, such as personal protective equipment</b>	
<b>Eye/face protection</b>	Wear safety glasses; chemical goggles (if splashing is possible). Eye wash fountain and emergency showers are recommended.
	
<b>Skin protection</b>	
<b>Hand protection</b>	Wear appropriate chemical resistant gloves.
	
<b>Other</b>	Wear appropriate chemical resistant clothing.
<b>Respiratory protection</b>	Provide adequate ventilation. In case of insufficient ventilation wear suitable respiratory equipment.
<b>Thermal hazards</b>	Not available.
<b>General hygiene considerations</b>	Do not get this material in contact with skin. Avoid contact with skin, eyes and clothing. When using, do not eat, drink or smoke. Wash hands before breaks and immediately after handling the product. Launder contaminated clothing before reuse.



## 9. Physical and chemical properties

<b>Appearance</b>	Black liquid
<b>Odor</b>	Characteristic
<b>Odor threshold</b>	Not available.
<b>pH</b>	Not available.
<b>Melting point/freezing point;</b>	Not available.
<b>Initial boiling point and boiling range</b>	>70°C
<b>Flash point</b>	15°C (closed-cup)
<b>Evaporation rate</b>	Not available.
<b>Flammability (solid, gas)</b>	Not applicable.
<b>Upper/lower flammability or explosive limits</b>	
<b>Flammability limit - lower (%)</b>	Not available.
<b>Flammability limit - upper (%)</b>	Not available.

<b>Explosive limit - lower (%)</b>	Not available.	
<b>Explosive limit - upper (%)</b>	Not available.	
<b>Vapor pressure</b>	Not available.	
<b>Vapor density</b>	Not available.	
<b>Relative density</b>	Not available.	
<b>Solubility(ies)</b>	Soluble in ethyl alcohol	
<b>Partition coefficient: n-octanol/water</b>	Not available.	
<b>Auto-ignition temperature</b>	Not available.	
<b>Decomposition temperature</b>	Not available.	
<b>Viscosity (cPs)</b>	Not available.	
<b>10. Stability and reactivity</b>		
<b>Reactivity</b>	Not available.	
<b>Chemical stability</b>	Stable at normal conditions.	
<b>Possibility of hazardous reactions</b>	None known.	
<b>Conditions to avoid</b>	Heat, flames and sparks.	
<b>Incompatible materials</b>	Not available.	
<b>Hazardous decomposition products</b>	Not available.	
<b>11. Toxicological information</b>		
<b>Symptoms related to the physical, chemical and toxicological characteristics</b>	Not available.	
<b>Information on toxicological effects</b>		
<b>Acute toxicity value</b>		
<b>Components</b>	<b>Species</b>	<b>Test results</b>
<b>Ethyl alcohol (CAS 64-17-5)</b>		
<b>Acute</b>		
Inhalation		
LC50	Mouse Rat	39 mg/l, 4 Hours 20000 mg/l, 10 Hours
Oral		
LD50	Dog Guinea pig Mouse	5.5 g/kg 5.6 g/kg Mouse 3450 mg/kg

	Rat	Rat 7060 mg/kg 6.2 g/kg
Other		
LD50	Mouse Rat	933 mg/kg 1440 mg/kg
<b>N-propyl alcohol (CAS 71-23-8)</b>		
<b>Acute</b>		
Dermal		
LD50	Rabbit	5040mg/kg
Oral		
LD50	Rat	1870mg/kg
<b>Skin corrosion/irritation</b>	Skin Contact: May cause skin irritation. Skin Absorption: May be harmful if absorbed through the skin.	
<b>Serious eye damage/eye irritation</b>	Eye Contact: May cause eye irritation. Inhalation: May be harmful if inhaled. Material may be irritating to mucous membranes and upper respiratory tract. Ingestion: Harmful if swallowed.	
<b>Respiratory sensitization</b>	Based on available data, the classification criteria are not met.	
<b>Skin sensitization</b>	Based on available data, the classification criteria are not met.	
<b>Germ cell mutagenicity</b>	Based on available data, the classification criteria are not met.	
<b>Carcinogenicity</b>	Based on available data, the classification criteria are not met.	
<b>Specific target organ toxicity - single exposure</b>	Based on available data, the classification criteria are not met.	
<b>Specific target organ toxicity - repeated exposure</b>	Based on available data, the classification criteria are not met.	
<b>Aspiration hazard</b>	Based on available data, the classification criteria are not met.	
<b>12. Ecological information</b>		
<b>Aquatic toxicity</b>		
<b>Eco toxicity</b>		
<b>Components</b>	<b>Species</b>	<b>Test Results</b>
<b>Ethyl alcohol (CAS 64-17-5)</b>		
<b>Aquatic</b>		
Crustacea	EC50 Water flea (Daphnia magna)	7.7 - 11.2 mg/l, 48 hours
Fish	LC50 Fathead minnow (Pimephales promelas)	> 100 mg/l, 96 hours
<b>N-propyl alcohol (CAS 71-23-8)</b>		

Fish	LC50	Fathead minnow (Pimephales promelas)	> 4.555 mg/l, 96 hours
Crustacea	EC50	Water flea (Daphnia magna)	3.642 mg/l, 48 hours
Algae	EC50	Pseudokirchneriella subcapitata (green algae)	9.170 mg/l -,48 h
<b>Persistence and degradability</b>		Not available.	
<b>Bioaccumulative potential</b>		Not available.	
<b>Partition coefficient n-octanol / water (log Kow)</b>			
Ethyl alcohol (CAS 64-17-5)		-0.31	
N-propyl alcohol (CAS 71-23-8)		0.25	
<b>Mobility in soil</b>		Not available.	
<b>Other adverse effects</b>		Not available.	
<b>13. Disposal considerations</b>			
<b>Disposal instructions</b>		Do not dispose of together with general office waste. Do not allow this material to drain into sewers/water supplies. Dispose of waste material according to Local, State, Federal, and Provincial Environmental Regulations. Ensure collection and disposal with an appropriately licensed waste contractor.	
<b>Local disposal regulations</b>		Not available.	
<b>Hazardous waste code</b>		Not regulated.	
<b>Waste from residues / unused products</b>		Not available.	
<b>Contaminated packaging</b>		Not available.	
<b>14. Transport information</b>			
<b>DOT</b>			
<b>UN number</b>		UN1210	
<b>UN proper shipping name</b>		Printing ink, flammable (Ethyl alcohol, N-propyl alcohol)	
<b>Transport hazard class(es)</b>			Classes: 3 Flammable liquid Label :3
<b>Subsidiary class(es)</b>		Not available.	
<b>Packing group</b>		II	
<b>Special precautions for user</b>		DOT Classification only applies to shipments within the US and Puerto Rico.	

<b>Labels required</b>	Not available.	
<b>IATA</b>		
<b>UN number</b>	UN1210	
<b>UN proper shipping name</b>	Printing ink, flammable (Ethyl alcohol, N-propyl alcohol)	
<b>Transport hazard class(es)</b>		Classes: 3 Flammable liquid Label :3
<b>Subsidiary class(es)</b>	-	
<b>Packaging group</b>	II	
<b>Environmental hazards</b>	No	
<b>Labels required</b>	Not available.	
<b>ERG Code</b>	Not available.	
<b>Special precautions for user</b>	Not available.	
<b>IMDG</b>		
<b>UN number</b>	UN1210	
<b>UN proper shipping name</b>	Printing ink, flammable (Ethyl alcohol, N-propyl alcohol)	
<b>Transport hazard class(es)</b>		Classes: 3 Flammable liquid Label :3
<b>Subsidiary class(es)</b>	-	
<b>Packaging group</b>	II	
<b>Environmental hazards</b>	No	
<b>Marine pollutant</b>	No	
<b>Labels required</b>	Not available.	
<b>Ems</b>	Not available.	
<b>Special precautions for user</b>	Not available.	
<b>Section 15 - Regulatory Information</b>		
<b>US federal regulations</b>	US EPA TSCA Inventory: All chemical substances in this product comply with all rules or orders under TSCA.	
<b>TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)</b>	Not regulated.	



<b>US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)</b>	Not on regulatory list.
<b>CERCLA Hazardous Substance List (40 CFR 302.4)</b>	Not on regulatory list.
<b>NIOSH-Ca (National Institute for Occupational Safety and Health)</b>	Not on regulatory list.
<b>Canadian Domestic Substances List (DSL)</b>	Not on regulatory list.
<b>Canadian Ingredient Disclosure list (limit 0.1%)</b>	Ethyl alcohol (CAS 64-17-5)
<b>Canadian Ingredient Disclosure list (limit 1%)</b>	N-propyl alcohol (CAS 71-23-8)
<b>Other regulations, limitations and prohibitive regulations</b>	
<b>Substances of very high concern (SVHC) according to REACH, Article 57</b>	None of the ingredients are listed.
<b>Superfund Amendments and Reauthorization Act of 1986 (SARA)</b>	
<b>Hazard categories</b>	Immediate Hazard - No Delayed Hazard - Yes Fire Hazard - Yes Pressure Hazard - No Reactivity Hazard - No
<b>SARA 302 Extremely hazardous substance</b>	No
<b>SARA 311/312 Hazardous chemical</b>	No
<b>US state regulations</b>	
<b>US. Massachusetts RTK - Substance List</b>	Ethyl alcohol (CAS 64-17-5) N-Propyl alcohol (CAS 71-23-8)
<b>US. New Jersey Worker and Community Right-to-Know Act</b>	Not on regulatory list.
<b>US. Pennsylvania RTK - Hazardous Substances</b>	Ethyl alcohol (CAS 64-17-5) N-Propyl alcohol (CAS 71-23-8)
<b>US. Rhode Island RTK</b>	Ethyl alcohol (CAS 64-17-5) N-Propyl alcohol (CAS 71-23-8)
<b>US - California Proposition 65 - Carcinogens &amp; Reproductive Toxicity (CRT): Listed substance</b>	Not on regulatory list.

## Section 16 - Other Information

**Issue date** 19-Sep-2013

**Revision date** 20-Sep-2016

**Version #** 02

**Disclaimer** This Safety Data Sheet document is provided without charge to customers of Mylan Group. Data is the most current known to Mylan Group at the time of preparation of this document and is believed to be accurate. My Company makes no warranty of any kind, express or implied, concerning the safe use of this material in your process or in combination with other substances.