

GHS SAFETY DATA SHEET

1 - Identification

Product identifier SoluJET® 2701R

Other means of

Not available identification

Synonym(s) 2701 Red solvent ink

Recommended use Inkjet Printing

Recommended restrictions None Known

Issue date 9-June-2015

Company identification MYLAN GROUP

Long Duc Industrial Park

Tra Vinh City, Tra Vinh Province, Vietnam

Tel. +84-294-3846-997 Fax +84-294-3846-998

2 - Hazard(s) identification

Physical hazards Flammable liquids Category 2

Health hazards Eye irritation (Category 2), H319

Label elements





Signal word Danger

Hazard statement H225- Highly flammable liquid and vapor.

H319 Causes serious eye irritation.

Precautionary statement

Prevention P210 - Keep away from heat/sparks/open flames/hot surfaces. - No

smoking.

P233 - Keep container tightly closed.

P240 - Ground/Bond container and receiving equipment.

P241 - Use explosion-proof electrical/ventilating/lighting/equipment.

P242 - Use only non-sparking tools.

P243 - Take precautionary measures against static discharge.

P280 - Wear protective gloves/protective clothing/eye

protection/face protection.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several

minutes. Remove contact lenses, if present and easy to do.

Continue rinsing. P370+P378- In case of fire: for small fires, use dry chemical, carbon dioxide, water spray or alcohol-resistant foam to extinguish. For large fires, use water spray, fog, or alcohol-resistant foam to extinguish. Use water spray to cool fire-exposed containers. Water may be ineffective. Do NOT use straight streams of water. P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several Response minutes. Remove contact lenses, if present and easy to do. Continue rinsing. **Storage** P403 + P235 - Store in a well-ventilated place. Keep cool. **Disposal** P501- Dispose of contents/container in accordance with local/regional/national/international regulations. Not available **Environmental hazards** 3 - Composition/information on ingredients **Mixtures Hazardous components CAS Number** % **Chemical name** Ethanol 64-17-5 ≥90 Red solvent dye **Proprietary** ≤10 4. First-aid measures Inhalation Move person to fresh air immediately. If symptoms persist, get immediate medical attention. Skin contact In case of contact, immediately remove contaminated clothing and flush skin with copious amounts of water. Wash clothing separately before reuse. Get medical attention, if needed. **Eye contact** In case of eye contact, remove contact lens and rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get medical attention immediately. Ingestion Rinse mouth out with water. If the material is swallowed, get immediate medical attention or advice -- Do not induce vomiting. Never give anything by mouth to an unconscious person. Get medical attention immediately. Most important symptoms/ See section 8. effects, acute and delayed 5. Fire-fighting measures **FLASH POINT:** 14°C (closed-cup) Suitable extinguishing Suitable extinguishing media: sand, carbon dioxide (CO2) or dry chemical. media

Unsuitable extinguishing

media

Not available.

Specific hazards arising from Not available.

the chemical

Special protective

equipment and precautions

for firefighters

Firefighters should wear full protective clothing including selfcontained breathing apparatus. Avoid run off into storm sewers and

ditches which lead to waterways.

Fire-fighting

Move containers from fire area if you can do it without risk.

equipment/instructions

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Avoid contact with skin. Avoid inhalation of vapors or mists. Do not touch or walk through spilled material. Ensure adequate ventilation. Remove all sources of ignition.

Use personal protective equipment to minimize exposure to skin and eye. In the case of vapor formation use a respirator with an

approved filter.

Environmental precautions

Do not flush into surface water or sanitary sewer system.

Methods and materials for containment and cleaning Not available.

up

7. Handling and storage

Precautions for safe

Avoid contact with skin, eyes and clothing. Avoid breathing vapors

or mists of this product.

Use with adequate ventilation.

Wear personal protective equipment.

Conditions for safe storage,

including any incompatibilities

handling

Keep containers tightly closed in a dry, cool and well-ventilated

place. Keep away from heat, sparks and flame.

8. Exposure controls/personal protection

Occupational exposure

limits

US. OSHA Table Z-1 Limits for

Air Contaminants

(29 CFR1910.1000)

Components	Туре	Value
Ethanol (CAS 64-17-5)	PEL	1900 mg/m3
		1000 ppm

Material name: SoluJET® 2701R

US. ACGIH Threshold Limit

Values

Components Type Value

Ethanol (CAS 64-17-5) STEL 1000 ppm

US. NIOSH: Pocket Guide to

Chemical Hazards

Components Type Value

Ethanol (CAS 64-17-5) TWA 1900 mg/m3

1000 ppm

Biological limit valuesNo biological exposure limits noted for the ingredient(s).

Appropriate engineering

controls

Not available.

Individual protection

measures, such as personal protective equipment

Eye/face protection Wear safety glasses; chemical goggles (if splashing is possible).

Eye wash fountain and emergency showers are recommended.

Skin protection

Hand protection Not available.

Other Wear appropriate chemical resistant clothing.

Wear appropriate chemical resistant gloves.

Respiratory protection Provide adequate ventilation. In case of insufficient ventilation wear

suitable respiratory equipment.

Thermal hazards Not available.

General hygiene

considerations

Do not get this material in contact with skin. Avoid contact with skin,

eyes and clothing.

When using, do not eat, drink or smoke. Wash hands before breaks

and immediately after handling the product. Launder contaminated clothing before reuse.

9. Physical and chemical properties

Appearance Red liquid

Odor Vinous odor

Odor threshold Not available

pH Not available

Melting point/freezing point; Not available

Initial boiling point and >70°C

boiling range

Material name: SoluJET® 2701R

Flash point 14°C (closed-cup)

Evaporation rate Not available

Flammability (solid, gas) Not available

Upper/lower flammability or

explosive limits

Flammability limit - lower

(%)

Not available

Flammability limit -

upper (%)

Not available

Explosive limit - lower

(%)

Not available

Explosive limit - upper

(%)

Not available

Vapor pressure Not available

Vapor density Not available

Relative density Not available

Solubility(ies) Soluble in ethanol

Partition coefficient: n-

Not available

octanol/water

Auto-ignition temperature Not available

Decomposition temperature Not available

Viscosity Not available

10. Stability and reactivity

Reactivity Not available.

Chemical stability Stable at normal conditions.

Possibility of hazardous

reactions

None known.

Conditions to avoid Heat, flames and sparks.

Incompatible materials Not available.

Hazardous decomposition

products

Not available.

Material name: SoluJET® 2701R

11. Toxicological information Symptoms related to the Not available. physical, chemical and toxicological characteristics Information on toxicological effects **Acute toxicity value Test results Components Species** Ethanol (CAS 64-17-5) Acute Inhalation LC50 Mouse 39 mg/l, 4 Hours Rat 20000 mg/l, 10 Hours Oral LD50 Dog 5.5 g/kg Guinea pig 5.6 g/kg Mouse Mouse 3450 mg/kg Rat Rat 7060 mg/kg 6.2 g/kg Other LD50 Mouse 933 mg/kg Rat 1440 mg/kg Skin corrosion/irritation Skin Contact: May cause skin irritation. Skin Absorption: May be harmful if absorbed through the skin. Serious eye damage/eye Eye Contact: May cause eye irritation. Inhalation: May be harmful if inhaled. Material may be irritating to irritation mucous membranes and upper respiratory tract. Ingestion: May be harmful if swallowed. Based on available data, the classification criteria are not met. **Respiratory sensitization** Skin sensitization Based on available data, the classification criteria are not met. Germ cell mutagenicity Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met. Carcinogenicity Based on available data, the classification criteria are not met. Specific target organ toxicity - single exposure Specific target organ Based on available data, the classification criteria are not met. toxicity - repeated exposure

Based on available data, the classification criteria are not met.

Material name: SoluJET® 2701R

Aspiration hazard

12. Ecological information

Aquatic toxicity

Ecotoxicity

Components Species Test Results

Ethanol (CAS 64-17-5)

Aquatic

Crustacea EC50 Water flea (Daphnia magna) 7.7 - 11.2 mg/l, 48

hours

Fish LC50 Fathead minnow (Pimephales > 100 mg/l, 96 hours

promelas)

Persistence and Not available.

degradability

Bioaccumulative potential Not available.

Partition coefficient n-

octanol / water (log Kow)

Ethanol (CAS 64-17-5) -0.31

Mobility in soil Not available.

Other adverse effects Not available.

13. Disposal considerations

Disposal instructions Do not dispose of together with general office waste.

Do not allow this material to drain into sewers/water supplies.

Dispose of waste material according to Local, State, Federal, and

Provincial Environmental Regulations.

Ensure collection and disposal with an appropriately licensed waste

contractor.

Local disposal regulations Not available.

Hazardous waste code Not regulated.

Waste from residues /

unused products

Not available.

Contaminated packaging Not available.

14. Transport information

DOT

Material name: SoluJET® 2701R

UN number UN1210

UN proper shipping name Printing ink, flammable (Ethanol)

Transport hazard class(es) 3

Subsidiary class(es) Not available.

Packing group

Special precautions for

user

Passenger aircraft

Quantity limitation: 5 L

Cargo aircraft
Quantity limitation: 60 L

Special provisions
24, IB2, T4, TP1

Labels required Not available.

IATA

UN number UN1210

UN proper shipping name Printing ink, flammable (Ethanol)

Transport hazard class(es) 3

Subsidiary class(es)

Packaging group

Environmental hazards No

Labels required Not available.

ERG Code Not available.

Special precautions for

user

Passenger and Cargo

Aircraft

Quantity limitation: 5 L

Cargo Aircraft Only

Quantity limitation: 60 L

Limited Quantities
Passenger Aircraft

Quantity limitation: 1 L

IMDG

UN number UN1210

UN proper shipping name Printing ink, flammable (Ethanol)

Transport hazard class(es) 3

Subsidary class(es)

Packaging group

Environmental hazards

Marine pollutant

No

Labels required Not available.

Ems Not available.

Special precautions for

user

Not available.

Section 15 - Regulatory Information

US EPA TSCA Inventory: All chemical substances in this product

comply with all rules or orders under TSCA.

TSCA Section 12(b) Export

Notification (40 CFR 707,

Subpt. D)

Not on regulatory list.

Not regulated.

Regulated Substances (29

CFR 1910.1001-1050)

US. OSHA Specifically

CERCLA Hazardous

Not on regulatory list.

Substance List (40 CFR

302.4)

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - No

Delayed Hazard - Yes
Fire Hazard - Yes
Pressure Hazard - No
Reactivity Hazard - No
SARA 302 Extremely
hazardous substance-No

SARA 311/312

Hazardous chemical-No

US state regulations

US. Massachusetts RTK -

Ethanol (CAS 64-17-5)

Substance List

US. New Jersey Worker and

Not on regulatory list.

Community Right-to-Know

Act

US. Pennsylvania RTK -Ethanol (CAS 64-17-5)

Hazardous Substances

US. Rhode Island RTK Ethanol (CAS 64-17-5)

US - California Proposition 65 Not on regulatory list.

- Carcinogens &

Reproductive Toxicity (CRT):

Listed substance

Section 16 - Other Information

9-June-2015 **Issue date**

6-November-2018 **Revision date**

Version # 05

Disclaimer This Safety Data Sheet document is provided without charge to

> customers of Mylan Group. Data is the most current known to Mylan Group at the time of preparation of this document and is believed to be accurate. My Company makes no warranty of any kind, express or implied, concerning the safe use of this material in your process or in combination with other substances. This document was prepared to the requirements of the jurisdiction specified in Section

1 above and may not meet regulatory requirements in other

countries.

Material name: SoluJET® 2701R